

MAN TGS 26.440 6X4 BB CH -RASPANDITOR EMULSIE

SH01520725



Body type	Tank/silo truck
1st reg.	05/2024
Power	324kW (441 HP)
Mileage	2125 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGS
Model variant	TGS TG3
Body type	Tank/silo truck
Colours	white
Driver's cab	NN

TECHNICAL DATA

Power	324 kW (441 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	6x4
Suspension	Leaf spring suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	33,000 kg
Rear overhang	2050 mm
Wheel base	1400 mm
Fuel tank	AdBlue: 60 l Fuel tank: 300 l
Emission category	Euro6

Price	245,990 EUR (net)
	297,648 EUR (gross)
Offer Date	18.09.2026

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Rear underrun
- Electr. and heated kerb mirror

Comfort

- Adjustable steering column
- Climatronic
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat

Audio & communication

- MAN Media Truck
- Soundsystem: MAN loudspeaker system

Light and sight

- Tinted glass
- Headlight range control
- LED daytime running lights

Others

Exterior

- Clevis trailer coupling
- Electr. and heated rear view mirrors
- Rear differential lock
- PTO
- Twin tyres
- Shunting coupler
- Antispray
- Working lights
- Lifting roof (manual)
- Telematics system

Interior

- Multifunctional steering wheel
- Digital tachograph
- Sun visor

Assistance systems

- Cruise control
- Electronic Brake System EBS
- Brake assist
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

- MAN EVBec high-performance engine brake,
stages possible

Comments

VEHICUL NOU / NEUTILIZAT

Raspanditor Emulsie HYDROG SR 10.000 PREMIUM (10.000 litri):

- Rampa raspandire emulsie cu latime de lucru 4,8 metri
- Lance manuala
- Motor termic
- Sistem de incalzire cu functionare automata
- Sistem automat de curatare al rampei de emulsie cu aer comprimat la finalizarea raspandirii
- Computer pentru reglarea automata a cantitatii aplicate, cu raport si imprimanta
- Perie frontala HYDROG OCN-600/2400
- Latime 2.400 mm