MAN

MAN TGS 41.420 8X4 BB

SH02000925





76,990 EUR (net)

Offer Date

93,158 EUR (gross) 28.09.2025

| Body type | Tipper |
|------------------|---------------------|
| 1st reg. | 04/2019 |
| Power | 309kW (420 HP) |
| Mileage | 312194 km |
| Storage location | Otopeni - MHS Truck |
| | Service |

BASIC DATA

| Brand | MAN |
|---------------|---------|
| Model serie | TGS |
| Model variant | TGS TG2 |
| Body type | Tipper |
| Colours | white |
| Driver's cab | M |

TECHNICAL DATA

| Power | 309 kW (420 HP) |
|--------------|-----------------|
| Fuel | Diesel |
| Gearbox type | Manual |
| Wheel drive | 8x4 |
| Suspension | Coil suspension |
| Axles | 4 axles |

WEIGHTS AND MEASURES

| GVW | 41,000 kg |
|-------------------|------------------|
| Rear overhang | 800 mm |
| Wheel base | 1795 mm |
| | 2505 mm |
| | 1400 mm |
| Fuel tank | AdBlue: 35 I |
| | Fuel tank: 400 l |
| Emission category | Furo6 |



EQUIPMENT

Safety

- Antilock Braking System ABS
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Aluminum inlays
- Digital tachograph
- Sun visor

Assistance systems

- Cruise control
- MAN BrakeMatic
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO
- Shunting coupler: ROCKINGER SK5
- Preperation Telematics system

Others

front springs parabolic 9.5 t, rear springs parabolic 16 t, hub reduction rear axle AP HPD-1382/HP-1352, planetary axle ratio i 4.00, fuel filter heating, cross member for trailer coupling, wiring for tank truck to ADR,

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
 - Central locking
- Air-suspended driver seat
- DC/AC converter

Audio & communication

Radio

Light and sight

- Tinted glass
- Headlight range control
- Daytime running lights

Wheels and tyres

Spare wheel carrier



ADR Typ AT, equipment for dangerous goods to ADR, type OX

Perfect condition
Tipper Meiller Kipper - Hardox 18mc3