

MAN TGX 18.440 4X2 BLS

SH0214622



Price **7,990 EUR** (net)
9,668 EUR (gross)
Offer Date 29.08.2025

- Body type Tractor unit
- 1st reg. 08/2015
- Power 324kW (441 HP)
- Mileage 1035041 km
- Storage location Otopeni - MHS Truck Service

BASIC DATA

- Brand MAN
- Model serie TGX
- Model variant TGX TG2
- Body type Tractor unit (Standard)
- Colours blue
- Driver's cab XXL
- Berths 2 berths

TECHNICAL DATA

- Power 324 kW (441 HP)
- Fuel Diesel
- Gearbox type Semiautomatic
- Wheel drive 4x2
- Suspension Leaf air suspension
- Axles 2 axles

WEIGHTS AND MEASURES

- GVW 18,000 kg
- Rear overhang 800 mm
- Wheel base 3600 mm
- Fuel tank AdBlue: 60 l
Fuel tank: 580 l
Fuel tank: 580 l
- Emission category Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Tyre Pressure Control System TPM
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional leather steering wheel
- Digital tachograph
- Carpet floor covering
- Cooling box

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- Spare wheel
- Working lights
- Telematics system

Assistance systems

- Cruise control
- MAN BrakeMatic

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Air-suspended front seats
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights

Audio & communication

- Radio/CD
- Mobile phone preparation Bluetooth
- AUX & USB connector

- Hill Hold Control HHC
- efficientroll
- Speed limiter

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 2 package

Others

- front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (7-7-pin), pick-up plate 40 mm