MAN TGX 18.460 4X2 LLS-U

SH00150225



Price **16,990 EUR** (net)

20,558 EUR (gross)

Offer Date 20.10.2025 Body type Tractor unit 05/2018 1st reg. Power 338kW (460 HP)

Mileage 651008 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN Model serie **TGX**

Model variant TGX TG2

Body type Tractor unit (Mega)

Colours green Driver's cab XXL

Berths 2 berths

TECHNICAL DATA

Power 338 kW (460 HP)

Fuel Diesel

Gearbox type **Automatic**

4x2 Wheel drive

Suspension Air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg Rear overhang 800 mm Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 480 I

Fuel tank: 480 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Electr. lifting sunroof
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Cornering light
- Ambient lighting

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Spare wheel
- Cab Suspension
- Working lights



RIO Box

Audio & communication

- Radio
- AUX & USB connector

Assistance systems

- Adaptive Cruise Control ACC
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Equipment packages

- Aero package
- Safety plus package

Wheels and tyres

Spare wheel carrier

Others

front air suspension 7.5 t, rear air suspension 11.5 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.85, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, trailer socket 24V (15-pin)