

MAN TGX 18.510 4X2 BLS

SH01090626



Body type	Tractor unit
1st reg.	02/2020
Power	375kW (510 HP)
Mileage	558827 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	blue
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	375 kW (510 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror
- Flashing beacon

Interior

- Board computer
- Multifunctional leather steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Audio & communication

- MAN Media Pack Navigation
- Radio
- Mobile phone preparation Bluetooth
- Soundsystem
- AUX & USB connector

Exterior

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Front armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated front seats
- Air-suspended front seats
- Front lumbar supports
- Stationary air conditioning
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights
- Ambient lighting

Assistance systems

- Automatic distance control ACC with stop and go
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

- | Electr. and heated rear view mirrors
- | Low noise
- | Roof hatch
- | Rear differential lock
- | Fifth wheel
- | 1x15 pin plug
- | Cab Suspension
- | Working lights
- | RIO Box

Wheels and tyres

- | Spare wheel carrier

Equipment packages

- | Aero package
- | Safety plus package

Others

- | front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, electrical preparation for retrofit of a PTO, tanker vehicle socket 24V (15-pin), pick-up plate 40 mm, ADR inspection and certificate