

MAN TGX 18.510 4X2 BLS

SH01670725



| | |
|------------------|-----------------------------|
| Body type | Tractor unit |
| 1st reg. | 01/2020 |
| Power | 375kW (510 HP) |
| Mileage | 504375 km |
| Storage location | Otopeni - MHS Truck Service |

BASIC DATA

| | |
|---------------|-------------------------|
| Brand | MAN |
| Model serie | TGX |
| Model variant | TGX TG3 |
| Body type | Tractor unit (Standard) |
| Colours | blue |
| Driver's cab | XLX |
| Berths | 2 berths |

TECHNICAL DATA

| | |
|--------------|---------------------|
| Power | 375 kW (510 HP) |
| Fuel | Diesel |
| Gearbox type | Automatic |
| Wheel drive | 4x2 |
| Suspension | Leaf air suspension |
| Axles | 2 axles |

WEIGHTS AND MEASURES

| | |
|-------------------|--|
| GVW | 18,000 kg |
| Rear overhang | 800 mm |
| Wheel base | 3600 mm |
| Fuel tank | AdBlue: 60 l Fuel tank: 580 l Fuel tank: 580 l |
| Emission category | Euro6 |

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror
- Flashing beacon

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Front armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated front seats
- Air-suspended front seats
- Front lumbar supports
- Stationary air conditioning
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional leather steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights
- Ambient lighting

Audio & communication

- MAN Media Pack Navigation
- Radio
- Mobile phone preparation Bluetooth
- Soundsystem
- AUX & USB connector

Assistance systems

- Automatic distance control ACC with stop and go
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Roof hatch
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Cab Suspension
- Working lights
- RIO Box

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Safety plus package

Others

- front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, electrical preparation for retrofit of a PTO, tanker vehicle socket 24V (15-pin), pick-up plate 40 mm, ADR inspection and certificate