

MAN TGX 18.460 4X2 LLS-U

SH04890724



Price

14,990 EUR (net)

18,138 EUR (gross)

Offer Date

20.02.2026

- Body type Tractor unit
- 1st reg. 03/2017
- Power 338kW (460 HP)
- Mileage 740331 km
- Storage location Otopeni - MHS Truck Service

BASIC DATA

- Brand MAN
- Model serie TGS
- Model variant TGS TG2
- Body type Tractor unit (Mega)
- Colours white
- Driver's cab XLX
- Berths 2 berths

TECHNICAL DATA

- Power 338 kW (460 HP)
- Fuel Diesel
- Gearbox type Automatic
- Wheel drive 4x2
- Suspension Air suspension
- Axles 2 axles

WEIGHTS AND MEASURES

- GVW 18,000 kg
- Rear overhang 800 mm
- Wheel base 3600 mm
- Fuel tank AdBlue: 80 l
Fuel tank: 480 l
Fuel tank: 480 l
- Emission category Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Front seats adjustable in height
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Cornering light
- LED daytime running lights

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Working lights
- Lifting roof (manual)
- Telematics system

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Efficientcruise
- MAN BrakeMatic

- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 3 package

Others

- front air suspension 7.5 t, rear air suspension 11.5 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin)