

MAN TGX 18.480 4X2 BLS

SH03401122







Price

9,990 EUR (net)

12,088 EUR (gross)



Offer Date 20.10.2025

Body type Tractor unit 1st reg. 12/2015

Power 353kW (480 HP)

Mileage 670149 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours red
Driver's cab XXL
Berths 2 berths

TECHNICAL DATA

Power 353 kW (480 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg
Rear overhang 800 mm
Wheel base 3600 mm
Fuel tank AdBlue: 80 l

Fuel tank: 580 I Fuel tank: 580 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Electr. and heated kerb mirror: right, left
- Electr./heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Carpet floor covering

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights
- Ambient lighting

Audio & communication

- Radio/CD
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Cruise control
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock



- Fifth wheel
- Spare wheel
- Working lights
- Telematics system

Wheels and tyres

Spare wheel carrier

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, trailer socket 24V (7-7-pin)